

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

November 05, 2013

WELL WORK PERMIT

Rework-Secondary Recovery

This permit, API Well Number: 47-10302175, issued to HG ENERGY, LLC, is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

In addition to the applicable requirements of this permit, and the statutes and rules governing oil and gas activity in WV, this permit may contain specific conditions which must be followed. Permit conditions are attached to this cover letter.

Per 35CSR-4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0499 ext. 1654.

James Martin

Chief

Operator's Well No: MARY B. LONG NO. 251

Farm Name: LONG, STEVEN & TIMOTHY

API Well Number: 47-10302175

Permit Type: Rework-Secondary Recovery

Date Issued: 11/05/2013

Promoting a healthy environment.

PERMIT CONDITIONS

West Virginia Code § 22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.

WW-3B 10/07



1) Date		S	eptember	16, 2	013
2) Operator's Well	No.	N	Mary B. Lo	ng N	o. 251
3) API Well No.	47	-	103		2175
_	State		County		Permit
4) UIC Permit No.		J	JIC2R103	04AP	

STATE OF WEST VIRGINIA NOTICE OF LIQUID INJECTION OR WASTE DISPOSAL WELL WORK PERMIT APPLICATION FOR THE DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS

5)	WELL TYPI	Ε:	Liqui	d Injection	n_X		Gas Injec	tion (not s	storage)	Waste Dis	posal
6)	LOCATION		Elevation	n 733	3'		1	Watershed	l Nort	— n Fork of Fishing Cr	reek
		Distric	t	Grant	04	Co	ountyW	etzel	103	Quadrangle	Pine Grove 7.5' 548
7)	WELL OPE	RATOR:	HG Ener			49449	7948 8)	DESIGN	ATED AGEN	T: Mike	Kirsch
				pont Road							Dupont Road
100000	2000			ourg, WV							ersburg, WV 26101
9)	OIL & GAS				ED:		10) DRILLI	NG CONTRA		
			Derek H S PO Box 8								Upon Permit Approval
		ridares	_	le, WV 26	178				Addre	SS	
11)	PROPOSED	WELL W	-	Dril			Drill Dee	nov	Dodu	TI Ct:	-1-1-
11)	THOI ODED	WELL II	OIII.			old Form			Redr rate New For	The state of the s	ulate Convert X
							ge in Well (spec				A
12)	Geological ta	rget form	ation		Gordo	n	De	epth	2,554	Ft. (Top) to	2,564 Ft. (Bottom)
13)	Estimated de	epth of cor	npleted we	ell (or actu	ual depi	th of exis	ting well)	100	2840'	Ft.	The state of the s
14)	Approximate	water str	ata depth	s:	Fresh	ı	50	Ft.		Salt	1,430 Ft.
15)	Approximate	coal sean	n depths:				520	Ft.			
16)	Is coal being	mined in	the area?			,	Yes		X No		10-3-1
17)	Virgin reserv			et formati	on:		60	-	psig.	Source	Estimated
18)	Estimated re						1200			. bource	Estimated
19)	MAXIMUM I				ED ATT	OMG.		07.1	psig.	D II 1 D	
							Volume per ho	-	-	Bottom Hole Pres	ssure 2400 psi
20)							NJECTED, IN		3 ADDITIVE:	Fresh water, p	produced water, bactericides
21)	FILTERS (IF	W management of the control of the c			77.7		oal bed filters	1000,017.			
22)			CATHOL		-		OTHER CORRO	OSTON CO	OMTPOI		
,	DI HOII IOII	101(101	CHILIOL	normor	HOITO	IN AND	OTTER CORRE	JIJON CO	JIVIKOL	The state of the s	
23)	CASING AN	D TUBINO	G PROGRA	AM		See Serving					
CAS	ING OR		SPECII	FICATION	VS.		FOOTAGE	INTERV	ATQ	CEMENT FILL	UP PACKERS
	ING TYPE	Size	Grade	Weight	New	Used	For Drilling	Marie and Marie and Control	eft in Well	OR SACKS (CU.	
Cond	luctor		207				3				Kinds
Fres	h Water	7"	LS	17#	X		611'		611'	Use Existing Casir	
Coal											Sizes
	rmediate			L. Tai			I was a larger				2.375" X 4.5"
Prod	uction	4 1/2"	J-55	10.5#	X		2759'		2759'	Use Existing Casin	ng Depths Set
Гubi	ng	2 3/8"	J-55	4.6#	X		2450'		2450'	Offic	e c 2350 and Gas
Line	rs				TO THE						Perforations
					1112						Top 7 2 Bottom
											001 0 1 2010
2.43	ADDITOANT	a open t	DING DIC	TIMO		1.0		.,,		VAPV	/ Department of
24)	APPLICANT	S OPERA'						eilly, et al			
	by Deed		Lease			her Cont	-	Dated	Janua	ry 17, 1889-11VIIO	of record in the
			Wetzel		County	Clerk's	Office in	Lease	Book	47 at Pag	e 193

depprivacyofficer@wv.gov

WW-3A 10/07

5) Surface Owner(s) To Be Served



1) Date:		September	r 16, 20	13	
2) Operator's We	ell No.	Mary B. L	ong No.	. 251	
3) API Well No.	47	103		2175	
	State	County		Permit	
4) UIC Permit N	o.	UIC2R103	304AP		

STATE OF WEST VIRGINIA NOTICE OF LIQUID INJECTION OR WASTE DISPOSAL WELL WORK PERMIT APPLICATION FOR THE DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS

7 (a) Coal Operator

(a) Name	Steve & Timothy Long		Name	NA
Address	P. O. Box 6		Address	
	Pine Grove, WV 26419			
(b) Name		7 (b)	Coal Owne	er(s) With Declaration Of Record
Address			Name	NA
_			Address	
(c) Name				
Address			Name	NA
7 24 2 3 4 3 -	1 T T T T T T T T T T T T T T T T T T T		Address	
6) Inspector_	Derek Haught	7(c)	Coal Lessee	e With Declaration Of Record
Address	PO Box 85		_	NA
4 - 4 - 5 - <u>-</u>	Smithville, WV 26178		<u> </u>	NOT COMPANY OF THE PARK OF THE
Telephone	206-7613			
TO THE PERS	ON(S) NAMED ABOVE: You should have	recei	ved this	form and the following documents:
sets out the (2) The plat (su (3) The Construction which sets of The date propose THE REASON YOU WHICH ARE SUITARE NOT REQUITATE Application and accomplication and accomplished the control of the contr		m WW nless t nd for n N U HAV WW-3(d well o ef of the e attach d Reclar ion in co	V-6; and the well we reclamation NA VE RIGHTS A) DESIGN Experator properties of O ned Applicate mation Planertain circum	ork is only to plug a well), on for the site and access road. S REGARDING THE APPLICATION NATED TO YOU. HOWEVER YOU poses to file or has filed this Notice and il and Gas, West Virginia Department of cion and depicted on the attached Form have been mailed by registered or mstances) on or before the day of the
	The person signing this document shall make the	10110W1	ing cerunc	Office of Oil and Gas
"I certify under pena	alty of law that I have personally examined and am	Well	Operator	HG Energy, LLC
familiar with the inf	formation submitted in this document and all attachments		ress	5260 Dupont Road 72013
and that, based on n	ny inquiry of those individuals immediately responsible			Parkersburg, WV 26101
	formation, I believe that the information is true, accurate	_		Diane Christenent of
	aware that there are significant penalties for submitting	By:		Diane C. White Protection
iaise information, in	cluding the possibility of fine and imprisonment."	Its:		Accountant
		Sign	ature	Diane CWhite
Oil and Gas Privacy	Notice			- Cusi Wa

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you

have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at:

State of West Virginia Division of Environmental Protection Section of Oil and Gas

Well Operator's Report of Well Work

		Well Ope	rator's Repo	rt of Well `	Work	GC)PV
Farm name:	LONG, HEL	EN L.	Ope	erator Well	No.: MAR	Y LONG 251	
LOCATION:	Elevation:	733'	Qua	drangle:	PINE GRO	VE 7.5'	
	District: Latitude: Longitude:	GRANT 3,150 Feet so 10,950 Feet w	outh of 39	Deg 35 Deg 37		Sec. Sec.	
Company:	P.O. BOX 55	URCES, INC. 19 V 26105-5519		Casing/ tubing Size	Used in Drilling	Left in Well	Cement Fill Up Cu. Ft.
Agent:	PHILIP S. O	NDRUSEK					
Inspector: Permit Issued: Well work Com Well work Com	pleted:	ERWOOD 06/02/06 06/18/06 09/08/06					
Verbal plugging permission gran Rotary X Total Depth (fee Fresh water dep	ted on: _Cableet)	Rig 2840' 50'		7"	611'	611'	150 sks
Calt wester double	og (ft)			4 1/2"	2759'	2759'	150 sks
Salt water depth	is (it)						
Is coal being mi Coal Depths (ft)		N) NA N					
OPEN FLOW I	DATA	* WATERFLOO	D PRODUC	ER			
Gas:	ing formation Initial open floring from Final open floring of operock pressure	.ow *	MCF/c	l Fina	Pay zone do al open flow al open flow ssure)		2554'-2564' * Bbl/d * Bbl/d Hours
Gas:	producing for Initial open flo Final open flo Time of ope ock pressure	low	MCF/c	Oil: Initi Fina	Pay zone de al open flow lopen flow	1 ' '	1722', 1834'-1840 Bbl/d Bbl/d Hours
NOTE: ON BACK OR STIMULATIN	OF THIS FORM G, PHYSICAL C	, PUT THE FOLLOW HANGE, ETC. 2) TH FORMATIONS, INCI	ING: 1) DETA	ILS OF PERF WHICH IS A	FORATED INT	C DETAILED	ind Gas
			EAST RESOU By: Date:	JRCES, IN	6. ger [John 2/7/03	WV Departn Wronmental I	nent c

Treatment:

Treated Gordon perforations 2554'-2564' w/ 230 gals. 15% HCl acid, 271 bbls cross linked gel, and 13,000 # 30/50 sand.

Treated Big Injun/Big Lime perforations 1714'-1722', 1834'-1840' w/ 1500 gals. 15% HCl acid, 186 bbls cross linked gel and 7,000 # 30/50 sand.

Well Log:	0	254	Sand and Shale
	254	278	Sand
	278	310	Shale
	310	367	Sand
	367	388	Shale
	388	399	Sand
	399	452	Shale
-	452	466	Sand
	466	560	Shale
	560	579	Sand
•	579	954	Shale
	954	992	Sand
	992	1340	Shale
	1340	1398	Sand
	1398	1430	Shale
	1430	1464	Sand
	1464	1470	Shale
	1470	1480	Sand
	1480	1620	Shale
	1620	1633	Sand
	1633	1660	Shale
	1660	1710	Big Lime
	1710	1956	Big Injun
	1956	2520	Shale
	2520	2543	Gordon Stray
	2543	2552	Shale
	2552	2565	Gordon
	2565	2840	Shale
	2840		TD

Form WW-9 Rev. 10/94	***	··· .	 ::	1:	:	• •	::	:	::	· :·	:.	Page_	3 :	∷of	::	∷3	::
nev. 10/94										AP	I Nur	nber 47	103	_		·2178	
							Ope	rator's	s Well	No.		Mary B.	Long	No. 25	1		


STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

CONSTRUCTION AND RECLAMATION PLAN AND SITE REGISTRATION APPLICATION FORM GENERAL PERMIT FOR OIL AND GAS PIT WASTE DISCHARGE

	GENERAL PER	MIT FOR OI	L AND GAS PIT WAS	STE DISCHARGE	2111011	· Oluvi
Operator	HG Energy,	LLC		0	P Code	404405040
Watershed		of Fishing Cre	eek	Quadrangle	-	494497948 Grove 7.5'
Elevation .	733'	County	Wetzel	— Quadrangle — District		frant
Description of a	nticipated Pit Waste:	-	not be used	· District_		Tallt
Do you anticipat	e more than 5,000 bbls of			ork Yes	No	X
	liner be used in pit?	ŅA	If so, what mil.?		110	
	al Method For Treated Pit					$\mathcal{D}_{W_{J}}$
_	Land Applicati		•	·		10.
	Underground 1	Injection (UIC)	Permit Number)
	Reuse (at API)
•			m WW-9 for disposal loca	ation)		
Date :		Explain)
	anticipated for this well?			NA	·	
Additives to be us	oilbased, what type? Synt sed? NA	tnetic, petroleu	m, etc.			
	posal method? Leave in p	it, landfill, rem	oved offsite, etc.			
	left in pit and plan to solid			nt, lime, sawdust N	TA.	
- La	andfill or offsite name/perr	nit number?				
applicable law or I cer this application for obtaining the i penalties for subn Company Official	al (Typed Name)	orcement action that I have per hereto and that the information including the p	n. sonally examined and a , based on my inquiry of on is true, accurate and c	m familiar with the in those individuals im- complete. I am aware isonment.	ıformation mediately	submitted on responsible
					,	
					Ottice	RECEIVED
Subscribed and	sworn before me this	. 17	day of Septe	ember 20	13	of Oil and Gas
	<i>ح</i>	Ima	120			OCT 07 2013
My commission	expires	Nov.	12, 2018	-	WV	Department of
Form WW-9					STATE	OFFICIAL SEAL OF ANY PUBLIC CTION OF WEST VIRGINIA NA L. PETHTEL HG Energy, LLC 160 Dupont Road 179, West Virginia 26101 sion Expires Nov. 12, 2018

WW9_Back

		Legend	
Property Boundary	A A A A	Diversion	11111111111
Road.	<u> </u>	Spring	. •
Existing Fence	_xx	Wet Spot	₩ ·
Planned Fence	<u> </u>	Drain Pipe	
Stream		Waterway	←> ←> ←>
Open Ditch	>>	Cross Drain	
Rock	2000 S	Filter Strip	XXXXXXXXX
		Pit: Cut Walls	
North	N	Pit: Compacted	Julie !
Buildings	REEL	Fill Walls	7
Water Wells	W	Area of Land	
Drill Site	\oplus	Application of Pit Waste	() T () T
	Area		vegetation pH
Proposed Revegetation Treatme	ent: Acres Disturbed Approx. Area		vegetation pri
	Approx.	0.1 Ac.	
7.000	2 Tons/Acre or Co	orrect to pH 6.5	·
Lime Fertilize	r (10-20-20 or Equivalent) 500	•	bs. Minimum)
Mulch _	Straw 2 Tons/Ac		
	SEED MC	KTURES	
Areal	(Location)		Area II (Road)
Seed Type	Lbs/Ac.	Seed Type	Lbs/Ac.
Tall Pescue	<u>40</u> 5	Tall Fescue Ladino Clover	<u>40</u> 5
Ladino Clover	3		
Attach:			
Attach:	t and proposed area for land application		
Attach: Drawing(s) of road, location, pi Photocopied section of involved	t and proposed area for land application d 7.5' topographic sheet.	1	
Attach: Drawing(s) of road, location, pi Photocopied section of involved Plan approved by:	t and proposed area for land applicationd 7.5' topographic sheet.	1	· · · · · · · · · · · · · · · · · · ·
Attach: Drawing(s) of road, location, pi Photocopied section of involved Plan approved by:	t and proposed area for land application d 7.5' topographic sheet.	1	· · · · · · · · · · · · · · · · · · ·
Attach: Drawing(s) of road, location, pi Photocopied section of involved Plan approved by: Comments:	t and proposed area for land applicationd 7.5' topographic sheet.	1	· · · · · · · · · · · · · · · · · · ·



Revised Reclamation Plan For: Mary B. Long No. 251

47-103-2175

Existing Low Water
Creek Crossing


- See attached Reclamation Plan for MB Long No.217 for detail to County Road 15.

> Helen L. Long - Surface

North Fork Fishing Creek

Existing Access Road (~500' of < 5% Grade)

Steven & Timothy Long
- Surface



NOTE

REFER TO THE WVDEP
EROSION AND SEDIMENT CONTROL
FIELD MANUAL VER. MAY 2012 FOR
BMPS CONTROLLING EROSION AND
SEDIMENT FROM SOIL-DISTURBING
OPERATIONS.

PMH 10-3-17

Office of Oil and Gas

OCT 0 72013


NOTE:

WELL LOCATION WAS BUILT AND RECLAIMED UNDER DRILLING PERMIT NO.47-103-2175. ONLY MINIMAL EARTHWORK WILL BE REQUIRED FOR PROPOSED WELL WORK. ALL DISTURBED AREAS WILL BE RE-VEGETATED AS PER THE SEEDING PLAN ON FORM WW-9. NO WORK-OVER PIT WILL BE REQUIRED FOR PROPOSED WELL WORK


Notes:/// Department of

- · Requested permit is for conversion of existing well.
- Access from County Road to well location is existing. Structures will be maintained.
- All disturbed areas will be re-vegetated as outlined on Form WW-9.
- Maintain sediment barriers and drainage structures.
 All road grades <5% except as noted.

Note: Drawing not to Scale



190



(+) DENOTES LOCATION OF WELL ON UNITED STATES TOPOGRAPHIC MAPS

FILE NO. 1041-29

MAP NO. N68 N 11 S E W 2

SCALE 1" = 1000'


MINIMUM DEGREE OF

ACCURACY PROVEN SOURCE OF

ELEVATION DGPS Survey

I THE UNDERSIGNED, HEREBY CERTIFY THAT
THIS PLAT IS CORRECT TO THE BEST OF MY
KNOWLEDGE AND BELIEF AND SHOWS ALL THE
INFORMATION REQUIRED BY LAW AND THE REGULATIONS ISSUED AND PRESCRIBED BY THE DEPARTMENT OF MINES.

SIGNED) TIMOTHY P. ROUSH



WEST VIRGINIA

Division of Environmental Protection Office of Oil and Gas 601 57th Street Charleston, West Virginia 25304



DATE September 4, 2013
FARM Mary B. Long No.251
API WELL NO.

PS 793

47-103 02175 RS

WELL TYPE: OIL ___ GAS _X _ LIQUID INJECTION ___ WASTE DISPOSAL ___ (IF "GAS") PRODUCTION ___ STORAGE ___ DEEP ___ SHALLOW ___ LOCATION: ELEVATION __ 733' ___ WATERSHED ___ North Fork of Fishing Creek ___ DISTRICT ___ Grant ___ COUNTY ___ Wetzel ___ QUADRANGLE __ Pine Grove 7.5'

QUADRANGLE Pine Grove 7.5'

SURFACE OWNER Steven & Timothy Long ACREAGE 97.26 Ac.

OIL & GAS ROYALTY OWNER Helen L. Long et al. LEASE ACREAGE 200 Ac.

LEASE NO. 24891-50

PROPOSED WORK: DRILL ___ CONVERT_X_ DRILL DEEPER ___ REDRILL ___ FRACTURE OR STIMULATE ___ PLUG OFF OLD FORMATION ___ PERFORATE NEW FORMATION ___ OTHER PHYSICAL CHANGE IN WELL (SPECIFY) __Convert to Liquid Injection

RM IV-6



HG Energy, LLC 5260 Dupont Road Parkersburg, WV 26101 (304) 420-1100 - Office (304) 863-3172 - Fax

September 16, 2013

Mr. Jeff McLaughlin WVDEP Division of Oil & Gas 601 57th Street Charleston, West Virginia 25304

RE:

Mary B. Long No. 251 (API 47-103-2175)

Grant District, Wetzel County

West Virginia

Dear Mr. McLaughlin:

Enclosed are the Forms WW-3A, WW-3B, WW-9, WW-2(B1), mylar of plat, reclamation plan, topo map and copy of the certified mailing receipt for a permit to convert the above-captioned shallow, producing well to an injection well. Our check in the amount of \$650 is attached.

4500 10500

If you have any questions regarding this application, please call me at 304-420-1119 or email at dwhite@hgenergyllc.com.

Very truly yours,

Diane C White

Diane C. White

Enclosures

cc: Steve & Timothy Long - Certified

Derek Haught - Inspector

#2386 - missing \$ 650.00